

Index to Volume 5

- A
- Abad, Julio: “Computation of the Regular Confluent Hypergeometric Function” (with Sesma), 5(4): 74–76
- Abbott, Paul (ed.)
- “In[] and Out[],” 5(1): 12–19; 5(2): 52–57; 5(3): 24–29; 5(4): 22–26
 - “Tricks of the Trade,” 5(1): 20–23; 5(2): 58–61; 5(3): 30–35; 5(4): 27–34
- AccuracyGoal, 5(1): 16–19
- Adamchik, Victor
- solution for “In[] and Out[]” problem, 5(2): 55–56
 - “Solving the Quintic with *Mathematica*,” 5(1): 10
- adaptive sampling, 5(3): 29
- Adobe Illustrator, 5(1): 63; 5(4): 57–63
- Adobe Photoshop, 5(1): 63–64; 5(4): 57, 61–62
- Albertson, Ken: “Methods for Calculating π ,” 5(3): 73–75
- AlgebraicRules function, 5(1): 67, 70–71, 73
- AlgebraicRulesExtended function, 5(2): 12
- Allen, Arnold O., 5(4): 42, 47, 48–49, 50
- Altenberg, Peter: corrections submitted by, 5(1): 49
- animations
- of amusement park rides, 5(1): 6–9
 - of dominoes on a Möbius strip, 5(2): 21–23
 - of lava lamps, 5(4): 12–16
 - of sliced solids, 5(4): 8–11
- Anziutti, Massimiliano: “Polynomial Matrix Utilities” (with Pascoletti), 5(3): 19
- Append, 5(1): 15
- Applied Mathematica* (Shaw and Tigg), 5(1): 24–31; 5(3): 87
- Archimedes, 5(3): 73
- arguments, counting of, 5(1): 12–13
- associativity equation, 5(1): 82
- asymptotic expansions, 5(4): 54–56
- Asymptotic Expansions of Integrals* (Bleistein and Handelsman), 5(4): 54
- automatic summation, 5(3): 33–35
- B
- Bahder, Thomas B.: “*Mathematica* for Scientists and Engineers,” 5(2): 10
- Banzhaf voting power index, 5(2): 12
- BarChart command, 5(3): 82–83
- Bar-Natan, Dror, 5(1): 54
- Barnhart, Donald
- development of Optica by, 5(2): 6
 - “Notebook about Optica, A,” 5(2): 10
 - “Optica: A System for Optical Modeling,” 5(3): 9–11
- batch files, 5(4): 24–25
- BBEdit, 5(4): 59
- bcopy function, 5(3): 78
- BeamStatics.m package, 5(2): 12
- Beck, George: “RealOnly,” 5(3): 18
- binary searching, 5(4): 30–31
- “Binary Searching” (Makay), 5(4): 30–31
- BinarySearch, 5(4): 30–31
- bitmap files
- editing graphics in, 5(4): 57
 - exporting graphics in, 5(1): 62–66
 - storage of graphics in, 5(4): 11
- Bitmap PICT format, 5(4): 57
- bivariate distributions, 5(1): 84–86
- Blachman, Nancy: *Mathematica Graphics Guidebook, The* (with Smith), book review, 5(3): 20–23
- Book Reviews
- BUGS in Writing: A Guide to Debugging Your Prose* (Dupré), 5(4): 20–21
 - “Debugging Your Prose” (Maeder), 5(4): 20–21
 - “Improve Your Image: Getting Graphic with *Mathematica*” (Elbert), 5(3): 20–23
 - Introduction to Programming with Mathematica* (Gaylord, Kamin, and Wellin), 5(4): 17–19
 - Mathematica Graphics: Techniques and Applications* (Wickham-Jones), 5(3): 20–23
 - Mathematica Graphics Guidebook, The* (Smith and Blachman), 5(3): 20–23
 - “*Mathematica* Programming—Start Here” (Mathews), 5(4): 17–19
- Borland, compiling *MathLink* programs under, 5(3): 77–78
- Borwein, Jonathan M., 5(3): 74, 75
- Borwein, Peter B., 5(3): 74, 75
- Brent, Richard P., 5(3): 74
- Brookhaven Protein Database (BPD), 5(4): 65
- Brousseau, Alfred, 5(4): 28
- BSD libraries, 5(3): 78
- Buchholz, H., 5(4): 74
- Buchholz polynomials, 5(4): 74–75
- BUGS in Writing: A Guide to Debugging Your Prose* (Dupré), book review, 5(4): 20–21
- Bulmer, Michael: “Theoretical Evolutionary Ecology: Model Solutions,” 5(2): 11
- Burbulla, D.C.M.: “SelfTutorCalculus,” 5(2): 11
- Bush, Victoria: “Packages and Contexts,” 5(1): 45–49
- Buzen, J.P., 5(4): 49
- bzero function, 5(3): 78
- C
- C language, 5(3): 61
- caching, 5(1): 27
- Calculus`PDSolve1` package, 5(4): 26
- Calculus`VectorAnalysis` package, 5(4): 23
- Calories function, 5(1): 23
- Canon Laser Copy (CLC) systems, 5(4): 63
- carousel, animation of, 5(1): 7–8
- CARTAN tensor component package, 5(3): 19
- Carter, Michael: “Linear Programming

- with *Mathematica*: Sensitivity Analysis” (tutorial), 5(1): 32–44
- Castillo, Enrique: “Solving a Functional Equations” (with Gutiérrez and Iglesias), 5(1): 82–86
- Catch function, 5(4): 32
- Cauchy equation, 5(1): 82
- Cavallini, Fabio: “Counting Calories,” 5(1): 23
- cellular automata, 5(3): 18
- ChannelKinetics packages, 5(1): 11
- chaos
and function iteration, 5(2): 28–40; 5(4): 28
stabilization of, 5(4): 29
symmetric, 5(3): 84–89
- Chebyshev particle of order n , 5(1): 15
- Chen, Richard Q.: solution for “In[] and Out[]” problem, 5(1): 18–19
- Chudnovsky, D.V., 5(3): 74
- Chudnovsky, G.V., 5(3): 74
- Cipra, Barry: “Localization on a Harmonic Chain with Zero Displacement at the Boundaries” (with Kolan and Titus), 5(3): 19
- circle, radius of, 5(2): 53
- Classroom Notes
“Disordered Lattices and Methods for Calculating “ (Cohen, ed.), 5(3): 68–75
“Elementary Symbolic Integration” (Cohen, ed.), 5(4): 52–56
“Rational-Length Vectors and Random Matrices” (Cohen, ed.), 5(2): 48–51
- closed-form integration, 5(2): 54–56
- CMYK color model, 5(4): 59–62
- CoefficientList, 5(3): 24–25
- Cohen, Jack K.
“Disordered Lattices and Methods for Calculating “ (ed.), 5(3): 68–75
“Symbolic Integration and Asymptotic Expansions” (ed.), 5(4): 52–56
“Elementary Symbolic Integration,” 5(4): 52–54
“Random Matrix Problems,” 5(2): 50–51
“Rational-Length Vectors” (with Stockwell), 5(2): 48–50
“Rational-Length Vectors and Random Matrices” (ed.), 5(2): 48–51
- collecting terms, using a parameter for, 5(4): 22
- Collier, Ian: solutions for “In[] and Out[]” problems, 5(3): 24; 5(3): 29; 5(4): 24
- combinators, 5(4): 35–41
“Combinators” (Maeder), 5(4): 35–41
- Combinators.m package, 5(4): 36
- combinatory algebra, definition of, 5(4): 36
- Compile function, 5(2): 56–57; 5(4): 26; 5(4): 28
- compiled functions
arrays of, 5(1): 12
instruction error in, 5(2): 56–57
numerical error in, 5(2): 52
- Complex Mathematica (Shaw, forthcoming), 5(3): 84
- ComplexExpand, 5(4): 23
- CompoundExpression function, 5(3): 49
- “Computation of the Regular Confluent Hypergeometric Function” (Abad and Sesma), 5(4): 74–76
- computations, numerical precision of, 5(2): 44–47
- “Conchyallometry” (Stone), 5(3): 12–13
- condition numbers, 5(4): 35
- confluent hypergeometric function, 5(4): 74–76
- ContourPlot command, 5(3): 80–81
- “Controlling Chaos with *Mathematica*” (with Iglesias, Mat#as, Güemez, and Gutiérrez), 5(4): 29
- “Convergent vs. Asymptotic Representations” (Stockwell), 5(4): 54–56
- Cook, Matthew: “Hyperbolic Tiling of the Poincaré Disk,” 5(2): 11
- corrections, to “Using Color in Graphics,” 5(1): 49
- Courant, Ted: “Pictures of Geometric Series,” 5(3): 14–16; 5(4): 27
- Culioli, Jean-Christophe: “MultiplierMethod,” 5(2): 12
- Curry, H.B., 5(3): 63; 5(4): 36
- ## D
- Dantzig, G., 5(1): 42
- “Debugging Your Prose” (Maeder), book review, 5(4): 20–21
- Decompile.m package, 5(2): 57
- “Default Thickness of Lines” (Wagner), 5(3): 30–32
- defaults
editor, 5(3): 24
of line thickness, 5(3): 30–32
- Dick, Sam: “Heat Flow and Energy Calculations,” 5(2): 11
- diffeomorphisms, one-parameter families of, 5(2): 24–27
- “Different Lists, Same Elements” (Thaden), 5(2): 59
- differential equations
delayed, 5(3): 25
first-order linear ordinary, 5(4): 22
implicit ordinary, 5(2): 53
partial, 5(4): 26
- DiscreteMath`Combinatorica` package, 5(4): 27; 5(4): 30–31
- “Discretized PDE” (Frolkovic), 5(2): 60
- “Disordered Lattices: Normal Modes and Localization” (Scales), 5(3): 68–72
- “Disordered Lattices and Methods for Calculating “ (Cohen, ed.), 5(3): 68–75
- distribution-free testing, 5(2): 62–65
- Donley, H. Edward: “mma2mhtml,” 5(3): 18
- donut, surface area of, 5(4): 23
- double iterated Kalman filter (DIKF), 5(4): 65, 66, 69
- DSolve, 5(4): 26
- duality theorem (of linear programming), 5(1): 34
- Dupré, Lyn: *BUGS in Writing: A Guide to Debugging Your Prose*, book review, 5(4): 20–21
- dye sublimation printing, 5(4): 63
- dynamic programming, 5(4): 42–51
- “Dynamic Programming” (Wagner), 5(4): 42–51
- ## E
- Edit command, 5(3): 24
- EDITOR environment variable, 5(3): 24
- Elbert, David C.: “Improve Your Image: Getting Graphic with *Mathematica*,” book review, 5(3): 20–23
- Eliminate function, 5(1): 67, 70
- EM (expectation maximization) algorithm, 5(3): 19
- Encapsulated PostScript (EPS) files, exporting graphics in, 5(1): 62–66; 5(4): 60
- EnergyExamples.ma notebook, 5(2): 11
- energy-related problems, 5(2): 11
- EnergyWorker program, 5(2): 11
- Epson inkjet printers, 5(4): 63
- error messages, involving packages and contexts, 5(1): 45, 48
- Euclidean norm, 5(4): 33–34
- Euler, Leonhard, 5(3): 74
- evolutionary ecology, 5(2): 11
- “Example of Distribution-Free Testing, An” (Thimbleby), 5(2): 62–65
- Examples`Life` package, 5(3): 57
- Examples`OneLiners` package, 5(3): 59
- expectation values, analytical evaluation of, 5(1): 13–14
- “Experiments in Efficient Programming” (Hayes), 5(1): 24–31
- “Exploring Legends” (Fultz), 5(3): 79–83
- expr, 5(4): 22
- Extraordinary Code contest, winner of, 5(3): 18
- ## F
- Fairchild, Steve: “Protein Structure Analysis and Prediction” (with

Pachter and Perrin), 5(4): 64–69
 Ferris wheel, animation of, 5(1): 6–7
 Fibonacci series, 5(2): 49; 5(3): 66; 5(4): 27–28; 5(4): 42–44
 FindMinimum function, 5(2): 12
 Flatten, 5(1): 25
 Fold function, 5(3): 62
 FourierPattern.m package, 5(1): 60
 FrameMaker, 5(4): 63
 Freeman, James, 5(3): 36
 frequently asked questions (FAQ), on
 WRI Technical Support, 5(2): 6
 Frolkovic, Peter: “Discretized PDE,”
 5(2): 60
 Fultz, John
 “Common MathLink Questions”
 (with Ramsburg), 5(3): 76–79
 “Controlling Precision in
 Mathematica,” 5(2): 44–47
 corrections submitted by, 5(1): 49
 “Customizing Tick Marks” (with
 Paradise), 5(2): 42–44
 “Exploring Legends,” 5(3): 79–83
 “Legends and *MathLink* Questions”
 (ed.), 5(3): 76–83
 “Numerical Precision and Tick
 Marks” (ed.), 5(2): 42–47
 “Package Programming” (ed.), 5(1):
 45–49
 solution for “In[] and Out[]” problem,
 5(4): 24
 3D figure by, 5(4): 60
 function iteration, and chaos, 5(2):
 28–40; 5(4): 28
 “Function Iteration and Chaos”
 (Maeder), 5(2): 28–40; 5(4): 28
 functional equations, solving of, 5(1):
 82–86
 functional programming languages, 5(3):
 61–62; 5(4): 35
 functions
 versus combinators, 5(4): 35–41
 higher-order, 5(3): 61–67; 5(4): 36, 39
 piecewise, 5(4): 25
 plotting minima of, 5(3): 28–29
 recursively defined, 5(2): 58–59
 Function[*var, body*], 5(3): 61
 Fuzzy Logic Pack, 5(3): 6
 fuzzy sets, 5(3): 19
 FuzzySet.m package, 5(3): 19

G

Gauss, Carl Friedrich, 5(3): 74
 Gayley, Todd
 “Link Tutor,” 5(2): 10
 “*Mathematica* Profiler, A,” 5(3):
 48–60
 “*MathLink* Tutorial, A,” 5(1): 10;
 5(3): 76
 problem of shortest *Mathematica*
 program that prints itself, 5(3): 64

“Sample WordBasic Macro for Calling
Mathematica from Microsoft Word
 6,” 5(3): 18
 Gaylord, Richard J.
 *Introduction to Programming with
 Mathematica* (with Kamin and
 Wellin), book review, 5(4): 17–19
 “Word Games,” 5(2): 60
 generalized eigenvalue problems, 5(3):
 32
 generating functions, 5(3): 33
 genetic algorithms (GAs), 5(3): 36, 39,
 41
 genetic programming, 5(2): 11; 5(3):
 36–47
 “Genetic Programming” (Nachbar),
 5(3): 36–47
 genetic programs (GPs), 5(3): 36–47
 GeneticProgram function, 5(3): 44–46
 GeneticProgramming.m package, 5(3): 47
 geometric series, in graphical form, 5(3):
 14–16
 GIF format, 5(4): 62
 Goffinet, Daniel: “Wooden Möbius
 Trefoil Knot, A,” 5(4): 70–73
 Gomez, Juan Carlos: “NONACODE,”
 5(2): 12
 graphics
 color of, 5(1): 63–64; 5(4): 59–62
 editing outside of *Mathematica*, 5(4):
 57–63
 exporting, 5(1): 62–66
 extended, 5(2): 10
 hardcopy output options, 5(4): 63
 importing, 5(1): 66
 legends for, 5(3): 79–83
 in MathLive, 5(2): 14–20
 memory for storage of, 5(4): 11
 in page layout, 5(4): 63
 reference books reviewed, 5(3): 20–23
 3-Script format, 5(2): 14
 Graphics Designer
 “Graphics Editing Outside of
 Mathematica” (Kuzniarek), 5(4):
 57–63
 “Putting Pictures Elsewhere”
 (Kuzniarek), 5(1): 62–66
 “Graphics Editing Outside of
 Mathematica” (Kuzniarek), 5(4):
 57–63
 Graphics Gallery
 “Conchyalometry” (Stone), 5(3):
 12–13
 “Lava Lamp” (Rudd), 5(4): 12–16
 “*Mathematica* Amusement Park, A”
 (Rudd), 5(1): 6–9
 “Möbius Dominoes” (Rudd), 5(2):
 21–23
 “Pictures of Geometric Series”
 (Courant), 5(3): 14–16
 “Slicing Solids” (Moore), 5(4): 8–11
 “Spinors and Entanglement”
 (Norton), 5(2): 24–27

Graphics`Animation` package, 5(2): 72
 Graphics`Colors` package, 5(4): 14
 Graphics`Graphics3D` package, 5(4): 24
 Graphics`Legend` package, 5(3): 79–83
 Graphics`Polyhedra` package, 5(2): 72
 Graphics`Shapes` package, 5(2): 72
 Gray, Alfred, 5(2): 16
 great icosahedron, slicing of, 5(4): 9
 Gregory, James, 5(3): 73
 “Gröbner Bases” (Helzer), 5(1): 67–73
 GroebnerBasis function, 5(1): 69, 72
 Groebner.m package, 5(1): 67–73
 Güémez, J.: “Controlling Chaos with
 Mathematica” (with Iglesias,
 Mat#as, and Gutiérrez), 5(4): 29
*Guide to Standard Mathematica
 Packages*, 5(3): 82
 Gutiérrez, José Manuel
 “Controlling Chaos with
 Mathematica” (with Iglesias,
 Mat#as, and Güémez), 5(4): 29
 “Solving a Functional Equations”
 (with Castillo and Iglesias), 5(1):
 82–86

H

Handbook of Applied Mathematics
 (Pearson, ed.), 5(4): 32
 Haskell language, 5(3): 61
 Hayes, Allan
 “AlgebraicRulesExtended,” 5(2): 12
 alternative to
 ReleaseHold[*f*[Hold[*expr*]]] paradigm,
 5(4): 46
 contour lines on surface graphics,
 5(2): 61
 “Experiments in Efficient
 Programming” (tutorial), 5(1):
 24–31
 generating random points on a sphere,
 5(2): 61
 “*Strang Linear Algebra*,” 5(1): 10
 Hays, Marmion: “Fuzzy Set Functions,”
 5(3): 19
 Helzer, Garry: “Gröbner Bases,” 5(1):
 67–73
 Hensley, Doug, 5(3): 75
 Hewlett-Packard inkjet printers, 5(4): 63
 “Higher-Order Functions” (Maeder),
 5(3): 61–67; 5(4): 35, 39
 Hof, Bert: “Cellular Automata with
 Almost-Periodic Initial Conditions”
 (with Knill), 5(3): 18
 Hölder matrix norm, 5(4): 33
 Hölder norm, 5(4): 32–33
 Hope language, 5(3): 61
 HTML format, converting *Mathematica*
 notebooks to, 5(3): 18
 Hutchinson, George: “Manipulating
 Polynomials with Multiple
 Variables,” 5(3): 90–95

- Hynes, Gary, 5(4): 42, 47, 48–49, 50
hypergeometric series expansions, 5(3): 33–35
HypergeometricF1[a,b,z] function, 5(4): 74–76
HypergeometricF1Buchholz[a,b,z,m] function, 5(4): 75–76
- I
- Iglesias, Andrés
“Controlling Chaos with *Mathematica*” (with Mat#as, Güémez, and Gutiérrez), 5(4): 29
“Solving a Functional Equations” (with Castillo and Gutiérrez), 5(1): 82–86
- IgorBinary package, 5(2): 11
Implementing Discrete Mathematics: Combinatorics and Graph Theory with Mathematica (Skiena), 5(4): 27
“Improve Your Image: Getting Graphic with *Mathematica*” (Elbert), 5(3): 20–23
“In[] and Out[]” (Abbott, ed.), 5(1): 12–19; 5(2): 52–57; 5(3): 24–29; 5(4): 22–26
Indiana State House of Representatives, 5(3): 75
integers
 sums of odd, 5(4): 27
 unrestricted partitions of, 5(1): 22
IntegerSmithNormalForm.m package, 5(2): 11
Integrate function, 5(2): 54–56; 5(2): 59; 5(4): 25; 5(4): 52
integration, indefinite and definite, 5(2): 59
Intel Pentium chip, testing of, 5(2): 62
Intel Pentium FDIV bug, patch for, 5(2): 10
“Interval Arithmetic in *Mathematica*” (Keiper), 5(2): 66–71
Introduction to Programming with Mathematica (Gaylord, Kamin, and Wellin), book review, 5(4): 17–19
Iris inkjet printers, 5(4): 63
IRIX 5.0, 5(3): 79
Issaevitch, Tom: solutions for “In[] and Out[]” problems, 5(1): 12–13; 5(2): 53
IteratedFunctions.m package, 5(2): 28–40
- J
- Jabon, David: “Smith Normal Forms,” 5(2): 11
John Wiley & Sons, 5(2): 6
- K
- Kamin, Samuel N.: *Introduction to Programming with Mathematica* (with Gaylord and Wellin), book review, 5(4): 17–19
Kaufmann, Stephan: “*Mathematica* as a Tool,” 5(2): 10
Keiper, Jerry B.
 “Interval Arithmetic in *Mathematica*,” 5(2): 66–71
 Numerical Computation in Mathematica (with Withoff), 5(1): 16
 obituary, 5(2): 8–9
 solution for “In[] and Out[]” problem, 5(2): 52
Kitis, Levent
 “Beam Statics Package,” 5(2): 12
 “Mohr’s Circle and Principal Stresses in Two-Dimensional Stress Analysis,” 5(1): 10
Kleid, Jonathan: “Genetic Programming with *Mathematica*,” 5(2): 11
Knill, Oliver: “Cellular Automata with Almost-Periodic Initial Conditions” (with Hof), 5(3): 18
Koepl, Wolfram: “Power Series and Generating Functions,” 5(2): 10
Kolan, Amy: “Localization on a Harmonic Chain with Zero Displacement at the Boundaries” (with Cipra and Titus), 5(3): 19
Kovarik, Zdislav V.: solution for “In[] and Out[]” problem, 5(4): 23
Koza, John R., 5(3): 36
Kuen’s surface, slicing of, 5(4): 10–11
Kuzniarek, André
 “Graphics Editing Outside of *Mathematica*,” 5(4): 57–63
 “Putting Pictures Elsewhere,” 5(1): 62–66
Kwatny, Harry
 “TSi Controls Package Tutorial,” 5(3): 19
 “TSi Dynamics Multibody Modeling Package Tutorial,” 5(3): 19
- L
- Laderman, J., 5(1): 41
LatticeReduce function, 5(1): 11
lattices, disordered, 5(3): 68–72
“Lava Lamp” (Rudd), 5(4): 12–16
lava lamps, graphic images of, 5(4): 12–16
Lee, Xah: “TrochoidPlot,” 5(1): 10
legends, for graphics, 5(3): 79–83
“Legends and *MathLink* Questions” (Fultz, ed.), 5(3): 76–83
Leibniz, Gottfried, 5(3): 73
Leuthold, Kevin Martin: solution for “In[] and Out[]” problem, 5(4): 26
Lichtblau, Daniel: solutions for “In[] and Out[]” problems, 5(3): 29; 5(4): 23
Liljedahl, Mats: “Banzhaf Voting Power Index,” 5(2): 12
Linde, Dmitri: “Error Propagation,” 5(1): 10
linear programming, 5(1): 32–44
“Linear Programming with *Mathematica*: Sensitivity Analysis” (Carter), 5(1): 32–44
LinearProgramming.m package, 5(1): 32
LinearSolve, 5(3): 34
Link Tutor, 5(2): 10
Linux, *Mathematica* for, 5(2): 6
Lipton, Richard, 5(2): 62
Lisp language, 5(3): 36; 5(3): 61, 62
ListPlay function, 5(4): 28–30
lists
 compression of, 5(1): 24–25
 evaluation of, 5(1): 30
 nested, 5(1): 25
 splitting of, 5(4): 31–32
localization in nonperiodic systems, 5(3): 19
logistic maps, 5(3): 84–89; 5(4): 28–29
LogLinearListPlot, 5(3): 29
LogLinearPlot, 5(3): 29
- M
- Machin, John, 5(3): 73, 75
Macintosh
 clock resolution of, 5(3): 52
 converting graphics from notebooks in, 5(1): 64
 running *Mathematica* on, 5(3): 77
Maeder, Roman E.
 “Combinators,” 5(4): 35–41
 “Debugging Your Prose,” book review, 5(4): 20–21
 “Function Iteration and Chaos,” 5(2): 28–40; 5(4): 28
 “Higher-Order Functions,” 5(3): 61–67; 5(4): 35, 39
 Programming in Mathematica, 5(4): 8–9; 5(4): 17
 “Single-Image Stereograms,” 5(1): 50–61
 solution for “In[] and Out[]” problem, 5(1): 19
 solution for shortest *Mathematica* program that prints itself, 5(3): 64
Magic Eye images, 5(1): 50–61
Makay, Geza: “Binary Searching,” 5(4): 30–31
Manhattan Distance problems, 5(1): 29
“Manipulating Polynomials with Multiple Variables” (Hutchinson), 5(3): 90–95
Map function, 5(3): 62
mappings, of symmetric chaos, 5(3): 84–89
Martin, E.C.: “Mixture Estimation using the EM Algorithm,” 5(3): 19
Massimino, Pascal, 5(1): 60, 61

Mathematica

- courses in, 5(2): 6
- interval arithmetic in, 5(2): 66–71
- for MS-DOS, 5(4): 24
- numerical precision in, 5(2): 44–47
- programming of, 5(4): 17–19; 5(4): 42–51
- publications about, 5(3): 19
- Student Edition, 5(2): 6
- untyped functional language in, 5(3): 61–62
- version 2.2 OS/2 users, 5(3): 6
- version 2.2 release, 5(2): 6
- for Windows NT, 5(2): 11
- World Wide Web sites for, 5(2): 13
- “*Mathematica Amusement Park, A*” (Rudd), 5(1): 6–9
- Mathematica Applications Library Mechanical Systems Pack*, 5(2): 6
- Time Series Pack*, 5(2): 6
- Mathematica Applications Library Developers Series Optica*, 5(2): 6
- Mathematica as a Tool* (Kaufmann), 5(2): 10
- Mathematica Developer Conference* (October 1995), 5(3): 6
- Mathematica for Scientists and Engineers* (Bahder), 5(2): 10
- Mathematica Graphics: Techniques and Applications* (Wickham-Jones), book review, 5(3): 20–23
- Mathematica Graphics Guidebook, The* (Smith and Blachman), book review, 5(3): 20–23
- Mathematica in Calculus Workshop* (July–August 1995), 5(3): 6
- Mathematica in Mathematics Research and Education Conference* (July 1995), 5(3): 6
- Mathematica News*, 5(2): 6; 5(3): 6
- “*Mathematica Profiler, A*” (Gayley), 5(3): 48–60
- Mathematica Programmer*
 - “Combinators” (Maeder), 5(4): 35–41
 - “Function Iteration and Chaos” (Maeder), 5(2): 28–40
 - “Higher-Order Functions” (Maeder), 5(3): 61–67
 - “Single-Image Stereograms” (Maeder), 5(1): 50–61
- “*Mathematica Programming—Start Here*” (Mathews), book review, 5(4): 17–19
- Mathematica Toolbox*
 - “*Mathematica Profiler, A*” (Gayley), 5(3): 48–60
- Mathews, Kirk A.: “*Mathematica Programming—Start Here*,” book review, 5(4): 17–19
- MathLink*
 - compiling programs in, 5(3): 77–78
 - connecting *Mathematica* to Microsoft Word, 5(2): 6
 - description of, 5(3): 76
 - Elf version, 5(3): 79
 - installation of, 5(3): 76
 - LabVIEW VIs for Macintosh, 5(2): 11
 - Link Tutor for, 5(2): 10
 - on Macintosh computers, 5(3): 77
 - for *Mathematica* version 2.2 OS/2 users, 5(3): 6
 - and Robotica Front End (RFE), 5(2): 72–79
 - for running *Mathematica* on two systems, 5(3): 76
 - tutorial for, 5(1): 10; 5(3): 76
 - in UNIX, 5(3): 78–79
 - in Windows, 5(3): 77–78
- MathLink Developer’s Kit*, 5(3): 78
- “*MathLink-Based Front End for the Robotica Package, A*” (Nethery and Spong), 5(2): 72–79
- “*MathLive and the Virtual Dynamics Laboratory*” (Shaw), 5(2): 14–20
- MathLive Pro*, 5(2): 18–20
- MathLive* version 2.0, 5(2): 14–20
- MathReader* version 2.2
 - for Windows, 5(2): 11
 - for X Window System, 5(2): 11
- mathsite.html file, 5(2): 13
- MathSource*, 5(1): 10–11; 5(2): 10–12; 5(2): 57; 5(3): 18–19
- Mat#as, M.A.: “Controlling Chaos with *Mathematica*” (with Iglesias, Güémez, and Gutiérrez), 5(4): 29
- matrix norms, 5(4): 32–34
- matrix-chain multiplication, 5(4): 44–47
- mean value analysis (MVA), 5(4): 47–50
- MeanValueAnalysis.m* package, 5(4): 51
- mechanical systems, TSi Dynamics functions for, 5(3): 19
- Mechanical Systems Pack*, 5(2): 6
- memoization, 5(4): 42
- Metrowerks CodeWarrior
 - version 4, 5(3): 77
 - version 5, 5(3): 77
- Microsoft Word
 - editing graphics in, 5(4): 59
 - MathLink* to, 5(2): 6
 - WordBasic macro for version 6, 5(3): 18
- Miranda language, 5(3): 61
- MLEvaluate, 5(3): 76
- MLPutLongInteger function, 5(3): 87
- MLPutLongIntegerArray function, 5(3): 87
- MLPutReal, 5(3): 78
- MLPutRealList, 5(3): 78
- mma2html utility, 5(3): 18
- “Möbius Dominoes” (Rudd), 5(2): 21–23
- Möbius trefoil knot, 5(4): 70–73
- Moore, Ross: “Slicing Solids,” 5(4): 8–11
- MultiCentralServer function, 5(4): 49, 50
- MultipleListPlot command, 5(3): 81–82
- N
- N function, 5(2): 46–47
- Nachbar, Robert B.: “Genetic Programming” (tutorial), 5(3): 36–47
- names, tracking new, 5(1): 22–23
- National Instruments: “*MathLink VIs for LabVIEW for Macintosh*,” 5(2): 11
- nb2html utility, 5(3): 18
- NDsolve, 5(2): 60; 5(3): 25
- Nelson, Roger B.: *Proofs without Words: Exercises in Visual Thinking*, 5(4): 27
- Nest function, 5(3): 62; 5(3): 84
- NestList function, 5(3): 84
- Nethery, John F.: “*MathLink-Based Front End for the Robotica Package, A*” (with Spong), 5(2): 72–79
- “New Programs on *MathSource*,” 5(1): 10–11; 5(2): 10–12; 5(3): 18–19
- Newton, Sir Isaac, 5(3): 73, 75
- NeXT, converting graphics from notebooks in, 5(1): 64
- NEXTSTEP, Sparc version of *Mathematica* for, 5(3): 6
- Nicomachus of Gerasa, 5(4): 27
- NIntegrate function, 5(1): 16–19; 5(2): 54; 5(3): 25; 5(4): 25
- Nishidate, Kazume: “Super TSP: A Trip Around the World,” 5(2): 12
- NONACODE, 5(2): 12
- Norton, Andrew H.: “Spinors and Entanglement,” 5(2): 24–27
- nrutil.c utility, 5(3): 87
- nuclear magnetic resonance (NMR) techniques, 5(4): 64, 65
- Numerals.m package, 5(4): 37
- Numerical.m package, 5(2): 12
- numerical integration, hybrid, 5(1): 16–19
- numerical precision, control of, 5(2): 44–47; 5(2): 66–67
- “Numerical Precision and Tick Marks” (Fultz, ed.), 5(2): 42–47
- Numerico.m package, 5(2): 12
- nutrition problems
 - “Counting Calories,” 5(1): 23
 - determining adequate diet at minimal cost, 5(1): 41–44
- O
- Olness, Frederick: “*Mathematica for Physics*,” 5(2): 12
- Optica
 - description of, 5(3): 9–11
 - notebook about, 5(2): 10
 - release of, 5(2): 6
- “Optica: A System for Optical Modeling” (Barnhart), 5(3): 9–11

- optimal substructure property, 5(4): 44
 OptimalDot.m package, 5(4): 50–51
 origami, computer simulation of, 5(3): 18
 OurIntegrate, 5(4): 52–54
 overlapping subproblems property, 5(4): 42
 Oxford System Solutions, 5(2): 14
- P**
- Pachter, Ruth: “Protein Structure Analysis and Prediction” (with Fairchild and Perrin), 5(4): 64–69
 Packel, Ed, 5(2): 6
 PageMaker, 5(4): 63
 Paradise, K.J.: “Customizing Tick Marks” (with Fultz), 5(2): 42–44
 parametric plots, reparametrization of, 5(1): 15
 ParametricPlot, 5(3): 29
 ParametricPlot3D, 5(1): 15
 partial differential equations, discretized, 5(2): 60
 Partitions function, 5(4): 49, 50
 PartitionsP command, 5(1): 22
 Pascal language, 5(3): 61
 Pascoletti, Adriano: “Polynomial Matrix Utilities” (with Massimiliano), 5(3): 19
 pattern matching, 5(1): 28–29
 PBM package, 5(1): 60
 PBM Utilities, 5(1): 65
 PC-compatible computers, clock resolution of, 5(3): 53
 Pearson, Carl E. (ed.): *Handbook of Applied Mathematics*, 5(4): 32
 Pell’s equation, 5(3): 75
 Perrin, Ronald: “Protein Structure Analysis and Prediction” (with Fairchild and Pachter), 5(4): 64–69
 Pexider equation, 5(1): 82
 physics
 canonical problems in, 5(2): 12
 spinors in, 5(2): 24–27
 methods of calculating, 5(3): 73–75
 PICT format, 5(4): 57, 62
 “Pictures of Geometric Series” (Courant), 5(3): 14–16; 5(4): 27
 Planetarium package, 5(1): 11
 Plot command, 5(3): 30–32; 5(3): 79
 PlotStyle command, 5(3): 30–32; 5(3): 79–80
 PolarListDensityPlot function, 5(3): 87
 polynomial equations
 eliminating parameters from, 5(1): 69–70
 interpolation of, 5(1): 71
 with multiple variables, 5(3): 90–95
 second-degree, 5(2): 12
 simultaneous congruences of, 5(1): 72
 solving systems of, 5(1): 67–69
 polynomial matrix utilities, 5(3): 19
 PolynomialMV.m package, 5(3): 90–95
 auxiliary functions, 5(3): 92–93
 defined polynomial structure
 predicates, 5(3): 93
 example using, 5(3): 94–95
 polynomial transformation functions, 5(3): 93–94
 term list transformation functions, 5(3): 91–92
 polynomials. *See* polynomial equations
 PolynomialSmithNormalForm.m package, 5(2): 11
 Poskanzer, Jeff: PBM Utilities, 5(1): 65
 PostScript (PS) files
 creating graphics in, 5(4): 57
 exporting graphics in, 5(1): 62–66
 POV-Ray package, 5(1): 50, 60
 POVray.m package, 5(1): 60
 Power Macintosh
 editing graphics on, 5(4): 59
 Metrowerks CodeWarrior CW4 bug with, 5(3): 77
 running *Mathematica* on, 5(3): 77
 Power Programming
 “Dynamic Programming” (Wagner), 5(4): 42–51
Power Programming with Mathematica (Wagner, forthcoming), 5(4): 42
 power series, generating function of, 5(2): 10
 predicates, rule-ordering of, 5(1): 19
 PrincipalStress, 5(1): 10
 ProfileCE function, 5(3): 48, 49–53
 ProfileFull function, 5(3): 48, 58–60
 ProfileResults function, 5(3): 48–60
 profilers
 for *Mathematica*, 5(3): 48–60
 options (table), 5(3): 49
 purpose of, 5(3): 48, 53
 ProfileShallow function, 5(3): 48, 55–58
 ProfileTiming function, 5(3): 53
 Program Announcements
 “MathLive and the Virtual Dynamics Laboratory” (Shaw), 5(2): 14–20
 “New Programs on *MathSource*,” 5(1): 10–11; 5(2): 10–12; 5(3): 18–19
 “Optica: A System for Optical Modeling” (Barnhart), 5(3): 9–11
 programming, and distribution-free testing, 5(2): 62–65
Programming in Mathematica (Maeder), 5(4): 8–9; 5(4): 17
Proofs without Words: Exercises in Visual Thinking (Nelson), 5(4): 27
 “Protein Structure Analysis and Prediction” (Fairchild, Pachter, and Perrin), 5(4): 64–69
 proteins, three-dimensional structures of, 5(4): 64–69
 ProteinStructure.m package, 5(4): 65
 pseudo-random numbers, 5(1): 20–21
 “Putting Pictures Elsewhere” (Kuzniarek), 5(1): 62–66
- Q**
- quadratic forms, 5(3): 25–28
 Quark Xpress, 5(4): 63
 queueing models, 5(4): 47–50
 Queueing.m package, 5(4): 50
- R**
- radius of a circle, 5(2): 53
 Ramanujan, 5(3): 74
 Ramsburg, Todd: “Common MathLink Questions” (with Fultz), 5(3): 76–79
 random matrices, 5(2): 50–51
 random number generators, 5(1): 20–21
 RANDU, 5(1): 20–21
 raster image processors (RIPs), 5(4): 63
 Raster primitives, 5(1): 20
 “Rational-Length Vectors and Random Matrices” (Cohen, ed.), 5(2): 48–51; 5(3): 75
 RAYsis program (SIS generator), 5(1): 50
 RaySis.m package, 5(1): 60–61
 ray-tracing programs, 5(1): 60
 ReadList, local and remote, 5(1): 14
 RealOnly package, 5(3): 18
 Rectangle primitives, 5(1): 20
 result caching, 5(4): 42, 50
 RGB color model, 5(4): 59–62
 Roach, Kelly, 5(3): 33
 Robb, Terry
 Decompile.m package, 5(2): 57
 “Notebook to HTML Converter for World Wide Web,” 5(3): 18
 “Planetarium,” 5(1): 11
 Robinson, Sam L.: “Wavelets” (with Ryczek), 5(1): 74–81
 Robotica Front End (RFE), 5(2): 72–79
 Robotica package, 5(2): 72–79
 robotics, 5(2): 72–79
 Rojo, Jesus: “Numerical Linear Algebra,” 5(2): 12
 roller coaster, animation of, 5(1): 8–9
 Roth, Arnd
 “IgorBinary,” 5(2): 11
 “Modeling Ion Channel Kinetics,” 5(1): 11
 Rudd, Robert
 “Lava Lamp,” 5(4): 12–16
 “*Mathematica* Amusement Park, A,” 5(1): 6–9
 “Möbius Dominoes,” 5(2): 21–23
 Russell, Robert A.: generating random points on a sphere, 5(2): 61
 Ryczek, Peter F.: “Wavelets” (with Robinson), 5(1): 74–81

S

- Salamin, Eugene, 5(3): 74
- SAmprep, 5(3): 77
- Scales, John A.: “Disordered Lattices: Normal Modes and Localization,” 5(3): 68–72
- ScatterPlot3D, 5(4): 24
- Schönfinkel, M., 5(4): 36
- Self-Tutor for Computer Calculus Using Mathematica 2 (Burbulla and Dodson), 5(2): 11
- sensitivity analysis, 5(1): 32–44
- SentinelPro Security Key driver software, 5(2): 11
- Sesma, Javier: “Computation of the Regular Confluent Hypergeometric Function” (with Abad), 5(4): 74–76
- SetPrecision function, 5(2): 46–47; 5(2): 66
- shape functions, 5(1): 83–84
- Sharp, Abraham, 5(3): 73
- Shaw, William T.
Complex Mathematica (forthcoming), 5(3): 84
 “MathLive and the Virtual Dynamics Laboratory,” 5(2): 14–20
 “Symmetric Chaos in the Complex Plane,” 5(3): 84–89
- simultaneous equations, 5(3): 29
- single-image random-dot stereograms (SIRDS), 5(1): 50–54
- “Single-Image Stereograms” (Maeder), 5(1): 50–61
- single-image stereograms (SIS), 5(1): 50–61
- Skiena, Steven
 bug in BinarySearch, 5(4): 31
Implementing Discrete Mathematics: Combinatorics and Graph Theory with Mathematica, 5(4): 27
- SLiceMovie package, 5(4): 8–11
- “Slicing Solids” (Moore), 5(4): 8–11
- Smith, Cameron: *Mathematica Graphics Guidebook, The* (with Blachman), book review, 5(3): 20–23
- Smith normal forms, integer and polynomial, 5(2): 11
- Sofroniou, Mark: solution for “In[] and Out[]” problem, 5(1): 12
- Solaris compiler, 5(3): 78–79
- Soleng, Harald H.: “Demonstration of CARTAN, A,” 5(3): 19
- Solve function, 5(1): 67; 5(2): 52–53
- SolveAlways, 5(3): 29
- “Solving a Functional Equations” (Castillo, Gutiérrez, and Iglesias), 5(1): 82–86
- “Solving a Queueing Model with Mathematica” (Allen and Hynes), 5(4): 47, 48–49, 50
- Solving the Quintic with *Mathematica* (poster), 5(1): 10
- sound, 5(4): 28–30
- spheres, generating random points on, 5(1): 23; 5(2): 61
- “Spinors and Entanglement” (Norton), 5(2): 24–27
- Split function, 5(4): 31–32
- Spong, Mark W.: “MathLink-Based Front End for the Robotica Package, A” (with Nethery), 5(2): 72–79
- Sqrt, 5(4): 23
- Stachowicz, Marian S., 5(3): 6
- Standard ML (SML) language, 5(3): 61, 62
- stereograms, single-image, 5(1): 50–61
- Stigler, George, 5(1): 32, 41
- Stockwell, John W., Jr.
 “Convergent vs. Asymptotic Representations,” 5(4): 54–56
 “Rational-Length Vectors” (with Cohen), 5(2): 48–50
- Stone, Jon: “Conchyalometry,” 5(3): 12–13
- Strang, Gilbert: *Introduction to Linear Algebra*, 5(1): 10; 5(2): 50
- Subexpressions.m package, 5(3): 91
- Sun PostScript interpreter, 5(2): 11
- surface graphics, contour lines on, 5(2): 61
- SurfaceOfRevolution package, 5(1): 15
- swap files, 5(4): 24
- Symantec C/C++, 5(3): 77
- “Symbolic Integration and Asymptotic Expansions” (Cohen, ed.), 5(4): 52–56
- symbolic-numeric integration, hybrid, 5(1): 16–19
- SymbolicRegression.m package, 5(3): 47
- symbols, creating new, 5(1): 45
- “Symmetric Chaos in the Complex Plane” (Shaw), 5(3): 84–89
- System 7.5, 5(3): 77
- T
- tables, comparison of elements in, 5(2): 59
- Taylor, Cyrus, 5(1): 20–21
- Tech Support
 “Legends and MathLink Questions” (Fultz, ed.), 5(3): 76–83
 “Numerical Precision and Tick Marks” (Fultz, ed.), 5(2): 42–47
 “Package Programming” (Fultz, ed.), 5(1): 45–49
- technical documentation, editing of, 5(4): 20–21
- TeX, 5(4): 63
- texture maps, 5(2): 17–18
- Thaden, Lawrence J.: “Different Lists, Same Elements,” 5(2): 59
- Thimbleby, Harold: “Example of Distribution-Free Testing, An” (tutorial), 5(2): 62–65
- 3-Script graphics format, 5(2): 14
- Throw function, 5(4): 32
- tick marks, customization of, 5(2): 42–44
- TIFF (Tagged Image File Format), 5(1): 62, 65–66; 5(4): 57
- Time Series Pack, 5(2): 6
- times series, and function iteration, 5(2): 30, 37
- Titus, Bill: “Localization on a Harmonic Chain with Zero Displacement at the Boundaries” (with Kolan and Cipra), 5(3): 19
- torus, surface area of, 5(4): 23
- Trace function, 5(3): 53–55
- Traveling Salesman Problem, 5(2): 12
- “Tricks of the Trade” (Abbott, ed.), 5(1): 20–23; 5(2): 58–61; 5(3): 30–35; 5(4): 27–34
- trigonometric expressions
 exact values of, 5(1): 22
 simplifying, 5(2): 56
- TrochoidPlot graphics functions, 5(1): 10
- Trott, Michael
 “New Names,” 5(1): 22–23
 solution for shortest *Mathematica* program that prints itself, 5(3): 64
 “Solving the Quintic with Mathematica,” 5(1): 10
- True-D Software, 5(2): 14, 20
- TSi Controls package, 5(3): 19
- TSi Dynamics package, 5(3): 19
- Tutorials
 “Example of Distribution-Free Testing, An” (Thimbleby), 5(2): 62–65
 “Experiments in Efficient Programming” (Hayes), 5(1): 24–31
 “Genetic Programming” (Nachbar), 5(3): 36–47
 “In[] and Out[]” (Abbott, ed.), 5(1): 12–19; 5(2): 52–57; 5(3): 24–29; 5(4): 22–26
 “Linear Programming with Mathematica: Sensitivity Analysis” (Carter), 5(1): 32–44
 “Tricks of the Trade” (Abbott, ed.), 5(1): 20–23; 5(2): 58–61; 5(3): 30–35; 5(4): 27–34
- U
- UniformPolyhedra.m package, 5(1): 60
- UNIX
 batch files on, 5(4): 24–25
 running *Mathematica* in, 5(3): 78–79
User's Guide for MS-DOS Systems, 5(4): 24
- “Using Color in Graphics,” corrections to, 5(1): 49

- V
- van der Kallen, Wilberd: "Extended Lattice Reduce Algorithm," 5(1): 11
- vector norms, 5(4): 32–34
- vectors, rational-length, 5(2): 48–50; 5(3): 75
- vi editor, 5(3): 24
- Viète, Francois, 5(3): 73, 75
- Virtamo, Jorma: solution for "In[] and Out[]" problem, 5(4): 22
- visual proofs, 5(4): 27–28
- visualization, sound with, 5(4): 28–30
- W
- Wagner, David B.
- "Default Thickness of Lines," 5(3): 30–32
- "Dynamic Programming," 5(4): 42–51
- Power Programming with Mathematica* (forthcoming), 5(4): 42
- solution for "In[] and Out[]" problem, 5(4): 25
- Wagon, Stan, 5(2): 6
- Wallis, John, 5(3): 73
- WAVE Project, tutorial notebooks from, 5(3): 19
- wavelet analysis, 5(1): 74–81
- "Wavelets" (Robinson and Ryczek), 5(1): 74–81
- Wavelets.m package, 5(1): 74–81
- Web Sites
- "*Mathematica* and Mathematics Sites on the World Wide Web" (Christensen), 5(2): 13
- Wellin, Paul R.: *Introduction to Programming with Mathematica* (with Gaylord and Kamin), book review, 5(4): 17–19
- Which function, 5(4): 25, 26
- While function, 5(4): 30–31
- Wickham-Jones, Tom
- "ExtendGraphics Packages," 5(2): 10
- graphics inspired by, 5(2): 16
- Mathematica Graphics: Techniques and Applications*, book review, 5(3): 20–23
- "Rectangle versus Raster," 5(1): 20
- solution for "In[] and Out[]" problem, 5(1): 15
- Windows
- converting graphics from notebooks in, 5(1): 64
- running *Mathematica* in, 5(3): 77–78
- Windows '95, running *Mathematica* in, 5(3): 77
- Windows NT
- running *Mathematica* in, 5(3): 77, 78
- security key driver software for, 5(2): 11
- Win32s, running *Mathematica* in, 5(3): 78
- Withoff, David
- evaluation of lists, 5(1): 30
- Numerical Computation in Mathematica* (with Keiper), 5(1): 16
- Wolfram, Stephen: "Jerry B. Keiper (1953–1995)," 5(2): 8–9
- Wolfram Research, Inc.
- "Extraordinary Code," 5(3): 18
- Keiper Memorial Fund, 5(2): 9
- "*Mathematica* 2.0 Graphics Gallery," 5(1): 10
- "*Mathematica* Demonstration Notebooks," 5(1): 10
- "MathReader Version 2.2 for the X Window System," 5(2): 11
- "MathReader Version 2.2 for Windows," 5(2): 11
- "Open Look *Mathematica* PostScript Interpreter," 5(2): 11
- "Pentium FDIV Bug, The," 5(2): 10
- "Publications about *Mathematica*," 5(3): 19
- release of Optica, 5(2): 6
- "Security Key Driver Software for Windows NT," 5(2): 11
- Technical Support department, 5(2): 6
- "Wooden Möbius Trefoil Knot, A" (Goffinet), 5(4): 70–73
- Woods, Debra
- "Coefficients of a Second-Degree Polynomial, The," 5(2): 12
- "Tutorial Notebooks from the WAVE Project," 5(3): 19
- woodworking, figuring shapes for, 5(4): 70–73
- "Word Games" (Gaylord), 5(2): 60
- WordBasic macro, 5(3): 18
- World Wide Web
- Mathematica* interactive demo on, 5(3): 6
- Mathematica* sites on, 5(2): 13
- Worley, Shelby, 5(3): 75
- writing, improvements in, 5(4): 20–21
- X
- X Windows
- converting graphics from notebooks in, 5(1): 64, 65
- notebook front end for DEC's 64-bit Alpha AXP RISC computers running OSF/1 2.0, 5(3): 6
- Robotica Front End (RFE) for, 5(2): 72–79
- XPGS program, 5(1): 57
- X-ray crystallography, 5(4): 64, 65
- Z
- Zamiatina, Ludmila: "Computer Simulations of Origami," 5(3): 18